



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/714,312	11/17/2003	Jiao Gong		2107
39066 7590 11/12/2008				
JIAO GONG 411 S. 3RD AVE #B ARCADIA, CA 91006			EXAMINER COBANOGILU, DILEK B	
			ART UNIT 3626	PAPER NUMBER
			MAIL DATE 11/12/2008	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/714,312

Applicant(s)

GONG ET AL.

Examiner

DILEK B. COBANOGU

Art Unit

3626

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 November 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SF/ICE)
- Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
- Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Notice to Applicant

1. Claim 1 is pending.
2. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Specification

3. The following guidelines illustrate the preferred layout for the specification of a utility application. These guidelines are suggested for the applicant's use.

Arrangement of the Specification

4. As provided in 37 CFR 1.77(b), the specification of a utility application should include the following sections in order. Each of the lettered items should appear in upper case, without underlining or bold type, as a section heading. If no text follows the section heading, the phrase "Not Applicable" should follow the section heading:

- (a) TITLE OF THE INVENTION.
- (b) CROSS-REFERENCE TO RELATED APPLICATIONS.
- (c) STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT.
- (d) THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT.
- (e) INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC.
- (f) BACKGROUND OF THE INVENTION.
 - (1) Field of the Invention.
 - (2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98.
- (g) BRIEF SUMMARY OF THE INVENTION.
- (h) BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S).
- (i) DETAILED DESCRIPTION OF THE INVENTION.
- (j) CLAIM OR CLAIMS (commencing on a separate sheet).
- (k) ABSTRACT OF THE DISCLOSURE (commencing on a separate sheet).
- (l) SEQUENCE LISTING (See MPEP § 2424 and 37 CFR 1.821-1.825. A "Sequence Listing" is required on paper if the application discloses a nucleotide or amino acid sequence as defined in 37 CFR 1.821(a) and if the required "Sequence Listing" is not submitted as an electronic document on compact disc).

Title

5. MPEP § 608.01(a) states: The title of the invention should be placed at the top of the first page of the specification unless the title is provided in an application data sheet. The title of the invention should be brief but technically accurate and descriptive, preferably from two to seven words. It may not contain more than 500 characters. The title contains more than seven words.
6. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed. The following title is suggested: Method and Hospital Network for Reclassification of Diseases.

Claim Objections

7. A series of singular dependent claims is permissible in which a dependent claim refers to a preceding claim which, in turn, refers to another preceding claim.
8. A claim which depends from a dependent claim should not be separated by any claim which does not also depend from said dependent claim. It should be kept in mind that a dependent claim may refer to any preceding independent claim. In general, applicant's sequence will not be changed. See MPEP § 608.01(n).
9. MPEP § 608.01 and C.F.R. 1.75 states:
- (a) The specification must conclude with a claim particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention or discovery.
 - (b) More than one claim may be presented provided they differ substantially from each other and are not unduly multiplied.

(c) One or more claims may be presented in dependent form, referring back to and further limiting another claim or claims in the same application. Any dependent claim which refers to more than one other claim ("multiple dependent claim") shall refer to such other claims in the alternative only. A multiple dependent claim shall not serve as a basis for any other multiple dependent claim. For fee calculation purposes under § 1.16, a multiple dependent claim will be considered to be that number of claims to which direct reference is made therein. For fee calculation purposes also, any claim depending from a multiple dependent claim will be considered to be that number of claims to which direct reference is made in that multiple dependent claim. In addition to the other filing fees, any original application which is filed with, or is amended to include, multiple dependent claims must have paid therein the fee set forth in § 1.16(j). Claims in dependent form shall be construed to include all the limitations of the claim incorporated by reference into the dependent claim. A multiple dependent claim shall be construed to incorporate by reference all the limitations of each of the particular claims in relation to which it is being considered.

(d) (1) The claim or claims must conform to the invention as set forth in the remainder of the specification and the terms and phrases used in the claims must find clear support or antecedent basis in the description so that the meaning of the terms in the claims may be ascertainable by reference to the description. (See § 1.58(a)).

(2) See § 1.141 to 1.146 as to claiming different inventions in one

application.

(e) Where the nature of the case admits, as in the case of an improvement, Any independent claim should contain in the following order:

(1) A preamble comprising a general description of all the elements or steps of the claimed combination which are conventional or known,

(2) A phrase such as "wherein the improvement comprises," and

(3) Those elements, steps, and/or relationships which constitute that portion of the claimed combination which the applicant considers as the new or improved portion.

(f) If there are several claims, they shall be numbered consecutively in Arabic numerals.

(g) The least restrictive claim should be presented as claim number 1, and all dependent claims should be grouped together with the claim or claims to which they refer to the extent practicable.

(h) The claim or claims must commence on a separate physical sheet or Electronic page. Any sheet including a claim or portion of a claim may not contain any other parts of the application or other material.

(i) Where a claim sets forth a plurality of elements or steps, each element or step of the claim should be separated by a line indentation.

Claim Rejections - 35 USC § 101

10. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

11. Claim 1 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. It is unclear what the claim is directed toward, a process, a machine, a manufacture or a composition of matter. See MPEP § 2106 for further information.

Claim Rejections - 35 USC § 112

12. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

13. Claim 1 is rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

14. The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited.

15. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

16. Claim 1 is rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential elements, such omission amounting to a gap between the elements. See MPEP § 2172.01. The omitted elements are: The steps describing in

how page layout of browser, healthy information appearing on the screen, reclassify the diseases, how to obtain the result of treatment, knocking the code and keyboard.

17. Claim 1 provides for the use of network hospital, but, since the claim does not set forth any steps involved in the method/process, it is unclear what method/process applicant is intending to encompass. A claim is indefinite where it merely recites a use without any active, positive steps delimiting how this use is actually practiced.

18. Claim 1 is rejected under 35 U.S.C. 101 because the claimed recitation of a use, without setting forth any steps involved in the process, results in an improper definition of a process, i.e., results in a claim which is not a proper process claim under 35 U.S.C. 101. See for example *Ex parte Dunki*, 153 USPQ 678 (Bd. App. 1967) and *Clinical Products, Ltd. v. Brenner*, 255 F. Supp. 131, 149 USPQ 475 (D.D.C. 1966).

19. The term "a sort of network hospital method" in claim 1 is a relative term that renders the claim indefinite. The term "a sort of network hospital method" is not defined by the claim, the specification does not provide a standard for ascertaining the requisite degree, and one of ordinary skill in the art would not be reasonably apprised of the scope of the invention.

20. The claim is generally narrative and indefinite, failing to conform with current U.S. practice. They appear to be a literal translation into English from a foreign document and are replete with grammatical and idiomatic errors.

Claim Rejections - 35 USC § 102

21. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

22. Claim 1 is rejected under 35 U.S.C. 102(e) as being unpatentable by Blackshear, JR. et al. (hereinafter Blackshear) (U.S. Patent Publication No. 2003/0004753 A1).

A. As per claim 1, Blackshear teaches data and information is transmitted over any appropriate state of the art communications network or transmission links between a healthcare facility 10 primarily responsible for the care of a population of persons who may include persons "at risk" of arterial occlusive disease, a management center 12 responsible for the management and administration of the method of the instant invention including the preliminary and final classification, a noninvasive vascular laboratory or facility 14 capable of performing noninvasive vascular evaluations to derive data upon which to determine final classification of "not at risk" or "at risk" and a vascular surgery facility 16 capable of assessing persons "at risk" of arterial occlusive disease for vascular surgery or alternative treatment. This data and information is recorded and stored at the various sites on a local system (Blackshear; paragraphs: 0016, 0027).

Conclusion

23. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The cited but not used prior art teach Diagnostics for cardiovascular disorders 6524795 B1, Apparatus and method for improved estimation of

health resource consumption through use of diagnostic and/or procedure grouping and severity of illness indicators 5018067 A, Methods for generating or revising context vectors for a plurality of word stems 5325298 A, Computer-implemented method for profiling medical claims 5835897 A, Method and system encoding and processing alternative healthcare provider billing 5915241 A, Techniques for estimating charges of delivering healthcare services that take complicating factors into account 6061657 A, Medical claims integration and data analysis system 5970463 A.

24. Examiner suggests Applicant to review the claims of the cited patent documents for proper claim language.

25. Any inquiry concerning this communication or earlier communications from the examiner should be directed to DILEK B. COBANOGLU whose telephone number is (571)272-8295. The examiner can normally be reached on 8-4:30.

26. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher L. Gilligan can be reached on 571-272-6770. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

27. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic

Art Unit: 3626

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. B. C./
Examiner, Art Unit 3626
10/31/2008

/Robert Morgan/
Primary Examiner, Art Unit 3626